HSP POWER SYSTEMS

YOUR TRUSTED PARTNER IN MARINE & POWER GENERATION SOLUTIONS

Established in 1988, HSP Power Systems is a trusted Malaysia power solutions provider, delivering reliable and comprehensive solutions across generator sets, marine engines, rental power, data centre power systems, parts, and aftersales service support.






POWER GENERATION | **MARINE ENGINES** | **PARTS & SERVICES** | **DATA CENTRE PROJECTS**

ABOUT HSP POWER SYSTEMS

HSP Power Systems provides integrated power generation and marine solutions for customers across Malaysia. From diesel generator set supply and system configuration to rental power, load testing, spare parts, filtration, and service support, we help customers maintain reliable operations with confidence.



OUR NATIONWIDE FOOTPRINT

With strategic facilities across Penang, Kuala Lumpur, Johor, Sabah, and Sarawak, HSP is positioned to support customers through faster coordination, inventory access, and service response.



WHY CHOOSE HSP



Integrated Power Solutions | **Decades of Industry Experience** | **Nationwide Support Network** | **Strong Product Ecosystem** | **Parts and Service Support**

PROVEN POWER SOLUTIONS ACROSS INDUSTRIES

HSP supports industries where power reliability is critical to safety, productivity, and business continuity. From data centres and hospitals to industrial plants, commercial buildings, marine operations, and temporary power applications, our solutions are built to support dependable performance where continuity matters most.



Data Centres



Marine & Offshore



Infrastructure & Utilities



Healthcare



Commercial Buildings



Industrial & Manufacturing



Construction & Remote Sites



Telecommunications

PT POWER GENSET APPLICATION

Data Centre & Critical Infrastructure

YTL Data Center
- Total 200 units +-
- Rating range from 1,500 kVA – 3,000 kVA
- Powered by Baudouin

Micron Technology
- 3 units x 2,000 kVA
- Powered by Baudouin

The Light City Plot A
- 1 unit x 1,650 kVA
- 3 units x 1,375 kVA
- 1 unit x 750 kVA
- Powered by Baudouin

Healthcare & Commercial

Island Hospital
- 2 units x 1,750 kVA
- Powered by Baudouin

Hyatt Regency KL Midtown
- 1 unit x 2,000 kVA
- 1 unit x 750 kVA
- Powered by Baudouin

IOI City Mall Phase II
- 4 units x 1,500 kVA
- Powered by Baudouin

Industrial & Utilities

Sabah Electricity Sdn Bhd
- 4 units x 250 kVA (Mobile Genset)
- Powered by Cummins

Taiyo Yuden Sarawak
- 3 units x 750 kVA
- 3 units x 400 kVA
- Powered by Baudouin

GCB Cocoa Grinding Factory
- 6 units x 1,500 kVA
- Powered by Cummins

HSP POWER SYSTEMS SDN. BHD. https://www.hspower.com.my marketing@hspower.com.my

OUR PRODUCTS AND SOLUTIONS

HSP Power Systems provides integrated power solutions across power generation, marine, rental, data centres, parts, and related services. From generator set supply and temporary power to load testing, marine engines, and replacement parts, we help customers maintain reliability, performance, and operational continuity. As the authorised sole distributor of Baudouin G-Drive engines and an appointed Baudouin PowerKit OEM in Malaysia, HSP manufactures and distributes generator sets under the PT Power brand.

A | POWER GENERATION

Diesel generator sets are essential for standby, prime, and continuous power applications, especially in facilities where power interruption can affect safety, productivity, and operations.



Open Type Generator Set

Rating Range: 15 kVA – 4,125 kVA



Containerised Generator Set

Rating Range: 750 kVA – 4,125 kVA



Truck-Mounted Generator Set

Available Ratings: 150 kVA, 500 kVA, 1,000 kVA, 1,500 kVA, 2,000 kVA



Canopy Type Generator Set

Rating Range: 15 kVA – 750 kVA

B | RENTAL POWER & LOAD BANK

HSP provides rental generators and load banks for temporary power, testing, and commissioning needs, supporting project operations, maintenance, emergency backup, shutdowns, peak demand, synchronised generator setups, and load testing.



Load Bank Solutions

Resistive and reactive load banks for testing & commissioning, performance verification, and preventive maintenance.



Rental Generator Fleet

A total of 50+ MVA capacity, including 1,000 kVA, 1,500 kVA, and 2,000 kVA units

C | DATA CENTRE POWER SOLUTIONS

HSP supports data centre infrastructure with reliable backup power solutions for hyperscale facilities, colocation centres, server rooms, and other critical operations. Our solutions include diesel generators, containerised generators, load banks, and rental generators to support project delivery, commissioning, maintenance, peak demand, and unexpected power disruptions to help ensure uptime and operational continuity.



Key Capabilities:

- Generator Sets: 15 kVA – 4,125 kVA
- Load Banks: 10 kW – 5,000 kW
- Rental Fleet: 50+ MVA

D | MARINE SOLUTIONS

HSP provides marine power solutions for commercial vessels, workboats, fishing vessels, passenger vessels, offshore support vessels, and marine transportation. Through our exclusive distributorship of Weichai in Malaysia, we offer propulsion and auxiliary engines, marine gearboxes, and related solutions designed to support reliable vessel performance and long-term operation in demanding marine environments.



Propulsion Engine

For vessel movement and main engine applications.

Rating Range:
34PS - 13,600PS
Med to High speed



Auxiliary Engine

For onboard power and vessel support systems.

Rating Range:
25kW - 10,000kW



Marine Gearbox

A complete range of marine gearboxes offering various capacities and reduction ratios to suit a wide range of marine propulsion applications.

E | PARTS & SERVICE

HSP provides aftermarket parts for diesel generator sets, heavy-duty engines, marine engines, and related power equipment. Our parts support helps customers reduce downtime, maintain equipment performance, and access suitable replacement components more efficiently. HSP carries over 40,000 SKUs across its inventory network to support faster parts availability and replacement needs.

Note: Parts compatibility may vary depending on engine model, alternator model, generator set rating, and application. Please contact HSP for confirmation before ordering.

HSP POWER SYSTEMS SDN. BHD. https://www.hspower.com.my marketing@hspower.com.my

POWERED BY BAUDOUIN ENGINE

MOTEURS Baudouin

PT Power's Diesel Generator Set Models (Powered by BAUDOUIN Engine) Models Offered As of 2026-09

Line	Genset Model	Engine Made	Engine Model	Rating, 50HZ, 1500 RPM		Approximate Dimension, Open				Approximate Dimension, Canopy			
				Prime	Standby	Length	Width	Height	Weight	Length	Width	Height	Weight
				KW / KVA	KW / KVA	cm	cm	cm	kg	cm	cm	cm	kg
1	PT15-4M06	BAUDOUIN	4M06G20/5	12 / 15	13.2 / 16.5	140.0	62.0	95.8	630.0	183.3	85.0	114.7	950.0
2	PT18-4M06	BAUDOUIN	4M06G20/5	15 / 18	15.8 / 19.8	140.0	62.0	95.8	630.0	183.3	85.0	114.7	950.0
3	PT20-4M06	BAUDOUIN	4M06G25/5	16 / 20	17.6 / 22	140.0	62.0	95.8	650.0	183.3	85.0	114.7	950.0
4	PT23-4M06	BAUDOUIN	4M06G25/5	18 / 23	20 / 25	140.0	62.0	95.8	650.0	183.3	85.0	114.7	950.0
5	PT25-4M06	BAUDOUIN	4M06G35/5	20 / 25	22 / 27.5	140.0	62.0	95.8	680.0	183.3	85.0	114.7	950.0
6	PT30-4M06	BAUDOUIN	4M06G35/5	24 / 30	26.4 / 33	149.2	62.0	95.8	700.0	183.3	85.0	114.7	950.0
7	PT32-4M06	BAUDOUIN	4M06G35/5	26 / 32	28 / 35	149.2	62.0	95.8	700.0	183.3	85.0	114.7	950.0
8	PT40-4M06	BAUDOUIN	4M06G44/5	32 / 40	35 / 44	151.2	62.0	95.8	730.0	197.0	91.0	122.7	1,050.0
9	PT45-4M06	BAUDOUIN	4M06G50/5	36 / 45	39.6 / 49.5	160.2	62.0	95.8	750.0	217.0	95.0	130.3	1,100.0
10	PT50-4M06	BAUDOUIN	4M06G55/5	40 / 50	44 / 55	160.2	62.0	95.8	750.0	217.0	95.0	130.3	1,100.0
11	PT60-4M10	BAUDOUIN	4M10G70/5	48 / 60	52.8 / 66	177.1	71.1	107.6	1,020.0	255.0	105.6	125.2	1,550.0
12	PT65-4M10	BAUDOUIN	4M10G70/5	52 / 65	57.5 / 71.5	177.1	71.1	107.6	1,020.0	255.0	105.6	125.2	1,550.0
13	PT80-4M10	BAUDOUIN	4M10G88/5	64 / 80	70.4 / 88	177.1	71.1	107.6	1,050.0	255.0	105.6	125.2	1,600.0
14	PT100-4M10	BAUDOUIN	4M10G110/5	80 / 100	88 / 110	184.6	76.0	116.8	1,200.0	284.7	110.6	143.1	1,700.0
15	PT135-6M11	BAUDOUIN	6M11G150/5	108 / 135	118.8 / 148.5	232.5	86.0	126.7	1,500.0	355.0	128.0	165.2	2,050.0
16	PT150-6M11	BAUDOUIN	6M11G165/5	120 / 150	132 / 165	244.2	86.0	126.7	1,600.0	355.0	128.0	165.2	2,180.0
17	PT200-6M16	BAUDOUIN	6M16G220/5	160 / 200	176 / 220	264.6	107.0	147.2	2,030.0	372.0	135.0	180.2	2,600.0
18	PT225-6M16	BAUDOUIN	6M16G250/5	180 / 225	198 / 247.5	264.6	107.0	147.2	2,030.0	372.0	135.0	180.2	2,600.0
19	PT230-6M16	BAUDOUIN	6M16G250/5	184 / 230	202.4 / 253	264.6	107.0	147.2	2,060.0	372.0	135.0	180.2	2,630.0
20	PT250-6M16	BAUDOUIN	6M16G275/5	200 / 250	220 / 275	267.6	107.0	147.2	2,180.0	391.2	135.8	175.2	2,752.0
21	PT300-6M16	BAUDOUIN	6M16G350/5	240 / 300	264 / 330	288.0	107.0	147.2	2,300.0	391.2	135.8	175.2	2,865.0
22	PT320-6M16	BAUDOUIN	6M16G350/5	256 / 320	280 / 350	288.0	107.0	147.2	2,385.0	391.2	135.8	175.2	2,950.0
23	PT350-6M21	BAUDOUIN	6M21G400/5	280 / 350	308 / 385	288.0	116.0	154.8	2,650.0	426.4	152.8	223.3	3,300.0
24	PT400-6M21	BAUDOUIN	6M21G440/5	320 / 400	352 / 440	288.0	116.0	154.8	2,800.0	426.4	152.8	223.3	3,430.0
25	PT450-6M21	BAUDOUIN	6M21G500/5	360 / 450	396 / 495	288.0	118.0	156.3	2,850.0	426.4	152.8	223.3	3,550.0
26	PT500-6M21	BAUDOUIN	6M21G550/5	400 / 500	440 / 550	296.9	118.0	170.0	3,000.0	426.4	152.8	223.3	3,650.0
27	PT600-6M33	BAUDOUIN	6M33G660/5	480 / 600	528 / 660	361.6	170.3	214.5	4,300.0	548.0	200.0	250.0	5,500.0
28	PT600-8M21	BAUDOUIN	8M21G660/5	480 / 600	528 / 660	302.8	136.0	176.4	3,450.0	426.4	152.8	223.3	4,400.0
29	PT650-6M33	BAUDOUIN	6M33G715/5	520 / 650	572 / 715	378.6	170.3	214.5	4,500.0	548.0	200.0	250.0	5,500.0
30	PT680-6M31	BAUDOUIN	6M31G750/5	544 / 680	598.4 / 748	367.6	140.0	199.2	4,000.0	490.0	170.0	238.0	4,800.0
31	PT680-6M33	BAUDOUIN	6M33G750/5	544 / 680	598.4 / 748	378.6	170.3	214.5	4,600.0	548.0	200.0	250.0	5,600.0
32	PT700-6M33	BAUDOUIN	6M33G750/5	560 / 700	616 / 770	378.6	170.3	4,600.0	4,700.0	548.0	200.0	250.0	5,600.0
33	PT750-6M31	BAUDOUIN	6M31G825/5	600 / 750	660 / 825	367.6	140.0	199.2	4,100.0	490.0	170.0	238.0	4,900.0
34	PT750-6M33	BAUDOUIN	6M33G825/5	600 / 750	660 / 825	378.6	170.3	214.5	4,800.0	548.0	200.0	250.0	5,700.0
35	PT800-6M31	BAUDOUIN	6M31G900/5	640 / 800	704 / 880	367.6	140.0	199.2	4,300.0	548.0	200.0	250.0	5,200.0
36	PT800-8M33	BAUDOUIN	8M33G900/5	640 / 800	704 / 880	391.5	177.9	226.9	6,000.0	548.0	200.0	250.0	6,900.0
37	PT800-12M26	BAUDOUIN	12M26G900/5	640 / 800	704 / 880	427.0	175.6	239.5	7,000.0	609.6	243.8	289.6	10,300.0
38	PT900-8M33	BAUDOUIN	8M33G1000/5	720 / 900	792 / 990	391.5	177.9	226.9	6,300.0	548.0	200.0	250.0	7,300.0
39	PT900-12M26	BAUDOUIN	12M26G1000/5	720 / 900	792 / 990	427.0	175.6	239.5	8,000.0	609.6	243.8	289.6	10,600.0
40	PT1000-8M33	BAUDOUIN	8M33G1100/5	800 / 1000	880 / 1100	391.5	177.9	226.9	6,550.0	548.0	200.0	250.0	9,550.0
41	PT1000-12M26	BAUDOUIN	12M26G1100/5	800 / 1000	880 / 1100	437.5	175.6	234.3	6,750.0	609.6	243.8	289.6	10,800.0
42	PT1150-12M33	BAUDOUIN	12M33G1250/5	920 / 1150	1012 / 1265	474.6	215.8	251.2	8,450.0	609.6	243.8	289.6	12,500.0
43	PT1250-12M33	BAUDOUIN	12M33G1400/5	1000 / 1250	1100 / 1375	477.6	215.8	251.2	8,600.0	609.6	243.8	289.6	12,500.0
44	PT1375-12M33	BAUDOUIN	12M33G1500/5	1100 / 1375	1210 / 1512.5	477.6	215.8	251.2	8,800.0	609.6	243.8	289.6	12,800.0
45	PT1500-12M33	BAUDOUIN	12M33G1650/5	1200 / 1500	1320 / 1650	477.6	215.8	253.2	9,000.0	609.6	243.8	289.6	13,000.0
46	PT1650-16M33	BAUDOUIN	16M33G1900/5	1320 / 1650	1452 / 1815	569.0	222.4	274.1	11,300.0	900.0	252.0	310.0	15,000.0
47	PT1750-16M33	BAUDOUIN	16M33G1900/5	1400 / 1750	1540 / 1925	569.0	222.4	274.1	11,500.0	900.0	252.0	310.0	15,200.0
48	PT1830-16M33	BAUDOUIN	16M33G2000/5	1464 / 1830	1610.4 / 2013	569.0	222.4	274.1	11,900.0	900.0	252.0	310.0	16,200.0
49	PT2000-16M33	BAUDOUIN	16M33G2250/5	1600 / 2000	1760 / 2200	596.9	276.4	320.0	12,500.0	1,219.2	320.0	360.0	18,000.0
50	PT2250-20M33	BAUDOUIN	20M33G2500/5	1800 / 2250	1980 / 2475	640.0	279.0	318.4	15,000.0	1,219.2	320.0	360.0	20,000.0
51	PT2500-20M33	BAUDOUIN	20M33G2750/5	2000 / 2500	2200 / 2750	640.0	279.0	318.4	16,900.0	1,415.0	320.0	385.0	20,600.0
52	PT2500-12M55	BAUDOUIN	12M55G2750/5	2000 / 2500	2200 / 2750	707.0	268.0	282.3	21,000.0	1,415.0	320.0	385.0	35,000.0
53	PT2750-12M55	BAUDOUIN	12M55G3000/5	2200 / 2750	2420 / 3025	707.0	268.0	282.3	21,500.0	1,415.0	320.0	385.0	34,500.0
54	PT3000-16M55	BAUDOUIN	16M55G3300/5	2400 / 3000	2640 / 3300	791.0	300.0	376.0	26,900.0	1,800.0	320.0	385.0	42,000.0
55	PT3250-16M55	BAUDOUIN	16M55G3750/5	2600 / 3250	2860 / 3575	791.0	300.0	376.0	26,900.0	1,800.0	320.0	385.0	43,000.0
56	PT3500-16M55	BAUDOUIN	16M55G4000/5	2800 / 3500	3080 / 3850	791.0	300.0	376.0	26,900.0	1,800.0	320.0	385.0	45,000.0
57	PT3750-16M55	BAUDOUIN	16M55G4000/5	3000 / 3750	3300 / 4125	791.0	300.0	376.0	26,900.0	1,800.0	320.0	385.0	48,000.0

Validity: Subject to change without notice Delivery: 10 to 12 weeks from date of order
Remark: Dimensions & weight may change from time to time

POWERED BY CUMMINS ENGINE

PT Power's Diesel Generator Set Models (Powered by CUMMINS Engine) Models Offered As of 2026-09

Line	Genset Model	Engine Made	Engine Model	Rating, 50HZ, 1500 RPM		Approximate Dimension, Open				Approximate Dimension, Canopy			
				Prime	Standby	Length	Width	Height	Weight	Length	Width	Height	Weight
				KW / KVA	KW / KVA	cm	cm	cm	kg	cm	cm	cm	kg
1	PT20BDF	CUMMINS	4B3.9G11	16 / 20	17.6 / 22	158.0	66.2	107.3	700.0	227.2	101.0	130.8	1,600.0
2	PT25BDF-1	CUMMINS	4B3.9G1	20 / 25	22 / 27.5	158.0	66.2	107.3	750.0	227.2	101.0	130.8	1,600.0
3	PT25BDF-2	CUMMINS	4B3.9G2	20 / 25	22 / 27.5	158.0	66.2	107.3	750.0	227.2	101.0	130.8	1,600.0
4	PT30BDF-1	CUMMINS	4BT3.9G1	24 / 30	26.4 / 33	160.0	66.2	107.3	780.0	227.2	101.0	130.8	1,800.0
5	PT30BDF-2	CUMMINS	4BT3.9G2	24 / 30	26.4 / 33	160.0	66.2	107.3	780.0	227.2	101.0	130.8	1,800.0
6	PT40BDF-1	CUMMINS	4BT3.9G1	32 / 40	35.2 / 44	163.0	66.2	106.7	780.0	246.0	91.0	125.0	1,700.0
7	PT40BDF-2	CUMMINS	4BT3.9G2	32 / 40	35.2 / 44	163.0	66.2	106.7	780.0	246.0	91.0	125.0	1,700.0
8	PT50BDF	CUMMINS	4BTA3.9G2	40 / 50	44 / 55	178.8	66.2	111.4	870.0	246.0	91.0	125.0	1,700.0
9	PT60BDF	CUMMINS	4BTA3.9G2	48 / 60	52.8 / 66	187.6	66.2	111.4	870.0	246.0	91.0	125.0	1,730.0
10	PT75-4BDF	CUMMINS	4BTA3.9G11	60 / 75	66 / 82.5	187.6	66.2	111.4	960.0	286.0	110.0	147.0	1,900.0
11	PT75-6BDF-1	CUMMINS	6BT5.9G1	60 / 75	66 / 82.5	187.6	66.2	111.4	960.0	286.0	110.0	147.0	1,900.0
12	PT75-6BDF-2	CUMMINS	6BT5.9G2	60 / 75	66 / 82.5	193.4	193.4	193.4	960.0	286.0	110.0	147.0	1,900.0
13	PT75-4BDF	CUMMINS	4BTA3.9G11	60 / 75	66 / 82.5	193.4	193.4	193.4	960.0	286.0	110.0	147.0	1,900.0
14	PT80-4BDF	CUMMINS	4BTA3.9G11	64 / 80	70.4 / 88	193.4	74.2	116.6	960.0	286.0	110.0	147.0	1,900.0
15	PT80-6BDF-1	CUMMINS	6BT5.9G1	64 / 80	70.4 / 88	211.4	74.2	117.9	960.0	286.0	110.0	147.0	1,900.0
16	PT80-6BDF-2	CUMMINS	6BT5.9G2	64 / 80	70.4 / 88	211.4	74.2	117.9	960.0	286.0	110.0	147.0	1,900.0
17	PT100BDF-1	CUMMINS	6BT5.9G1	80 / 100	88 / 110	211.4	74.2	117.9	960.0	284.0	100.0	130.0	1,900.0
18	PT100BDF-2	CUMMINS	6BT5.9G2	80 / 100	88 / 110	211.4	74.2	117.9	960.0	284.0	100.0	130.0	1,900.0
19	PT125BDF	CUMMINS	6BTAA5.9G2	100 / 125	110 / 137.5	228.1	74.2	120.9	980.0	267.0	100.0	130.0	1,960.0
20	PT125CDF	CUMMINS	6CTA8.3G1	100 / 125	110 / 137.5	234.5	79.2	127.8	1,400.0	335.0	125.0	170.0	2,200.0
21	PT150BDF	CUMMINS	6BTAA5.9G12	120 / 150	132 / 165	232.1	81.2	121.7	980.0	267.0	100.0	130.0	1,960.0
22	PT156CDF-1	CUMMINS	6CTA8.3G1	124.8 / 156	137.3 / 171.6	234.5	79.2	127.8	1,400.0	350.0	125.0	170.0	2,300.0
23	PT156CDF-2	CUMMINS	6CTA8.3G2	125 / 156	137.3 / 171.6	234.5	79.2	127.8	1,400.0	350.0	125.0	170.0	2,300.0
24	PT180CDF	CUMMINS	6CTA8.3G2	125 / 156	137.3 / 171.6	242.3	79.2	127.8	1,400.0	365.0	130.0	180.0	2,300.0
25	PT200CDF	CUMMINS	6CTAA8.3G2	160 / 200	176 / 220	252.8	95.8	137.3	1,400.0	365.0	130.0	180.0	2,300.0
26	PT225L8.9DF	CUMMINS	6LTAA8.9G2	180 / 225	198 / 247.5	259.3	95.7	150.9	2,500.0	403.6	150.4	205.0	3,350.0
27	PT250L8.9DF	CUMMINS	6LTAA8.9G2	200 / 250	220 / 275	259.3	95.7	150.9	2,500.0	403.6	150.4	205.0	3,350.0
28	PT250NCQP	CUMMINS	NT855GA	200 / 250	220 / 275	291.3	101.0	168.7	2,650.0	328.0	99.5	150.0	2,650.0
29	PT250M11CQP	CUMMINS	MTA11G2	200 / 250	220 / 275	294.8	111.0	151.9	2,650.0	403.6	130.4	205.0	3,800.0
30	PT275L9.5DF	CUMMINS	6LTAA9.5G3	220 / 275	242 / 302.5	286.2	112.0	158.0	2,500.0	403.6	150.4	205.0	3,350.0
31	PT300NCQP	CUMMINS	NTA855G1	240 / 300	264 / 330	311.0	111.0	174.5	2,650.0	403.6	150.4	205.0	4,250.0
32	PT300M11CQP	CUMMINS	MTA11G3	240 / 300	264 / 330	299.6	111.0	155.1	2,650.0	403.6	152.4	205.0	4,250.0
33	PT312NCQP	CUMMINS	NTA855G2	249.6 / 312	274.56 / 343.2	311.0	111.0	173.8	2,650.0	440.0	152.0	212.5	4,250.0
34	PT350NCQP	CUMMINS	NTA855G4	280 / 350	308 / 385	311.0	111.0	173.8	2,650.0	440.0	150.0	212.5	4,250.0
35	PT400QSZ	CUMMINS	QSZ13G7	320 / 400	352 / 440	317.0	115.6	199.5	2,650.0	440.0	152.0	212.5	4,250.0
36	PT400NCQP	CUMMINS	NTAA855G7	320 / 400	352 / 440	323.4	111.0	166.0	2,650.0	440.0	152.0	212.5	4,250.0
37	PT400KCQP	CUMMINS	KTA19G2	320 / 400	352 / 440	330.8	131.8	193.8	3,575.0	490.0	170.0	238.5	5,668.0
38	PT400QSNT	CUMMINS	QSNT-G3	320 / 400	352 / 440	336.0	111.0	166.0	2,650.0	440.0	152.0	212.5	4,250.0
39	PT450QSZ	CUMMINS	QSZ13G5	360 / 450	396 / 495	317.0	115.6	199.5	3,300.0	455.8	151.4	202.8	4,300.0
40	PT450KCQP	CUMMINS	KTA19G3	360 / 450	396 / 495	342.9	131.8	193.8	3,575.0	490.0	170.0	238.5	5,668.0
41	PT500QSZ	CUMMINS	QSZ13G10	400 / 500	440 / 550	321.7	136.0	184.0	3,500.0	455.8	151.4	202.8	4,500.0
42	PT500KCQP	CUMMINS	KTA19G4	400 / 500	440 / 550	347.4	131.8	193.8	3,575.0	490.0	170.0	238.5	5,668.0
43	PT600KCQP	CUMMINS	KTAA19G7 **	480 / 600	528 / 660	347.4	131.8	193.8	3,600.0	490.0	170.0	239.0	5,700.0
44	PT625KCQP	CUMMINS	KTAA19G7 **	500 / 625	550 / 687.5	347.4	131.8	193.8	3,600.0	490.0	170.0	239.0	5,700.0
45	PT650Q	CUMMINS	QSK19G4	520 / 650	572 / 715	369.5	157.0	216.2	3,600.0	490.0	170.0	239.0	5,500.0
46	PT680KCQP	CUMMINS	KTAA19G7 **	NA / NA	544 / 680	351.1	143.0	206.5	3,700.0	490.0	170.0	239.0	5,800.0
47	PT725KCQP	CUMMINS	KT38GA	580 / 725	638 / 797.5	431.5	170.6	247.4	7,872.0	609.6	243.8	289.6	10,372.0
48	PT750V	CUMMINS	VTA28G6	600 / 750	660 / 825	387.5	187.8	220.4	5,766.0	490.0	170.0	238.5	9,000.0
49	PT750KCQP	CUMMINS	KTA38G2	600 / 750	660 / 825	431.5	170.6	247.4	7,872.0	609.6	243.8	289.6	10,372.0
50	PT800KCQP	CUMMINS	KTA38G2	640 / 800	704 / 880	431.5	170.6	247.4	7,872.0	609.6	243.8	289.6	10,372.0
51	PT910KCQP	CUMMINS	KTA38G2A	728 / 910	800 / 1000	435.6	170.6	247.4	9,116.0	609.6	243.8	289.6	11,616.0
52	PT1000KCQP	CUMMINS	KTA38G5	800 / 1000	880 / 1100	427.2	177.6	236.0	8,350.0	609.6	243.8	289.6	11,616.0
53	PT1000Q	CUMMINS	QST30G4	800 / 1000	880 / 1100	420.0	203.0	235.0	8,000.0	609.6	243.8	289.6	10,372.0
54	PT1250KSCQP	CUMMINS	KTA38G9	NA / NA	1000 / 1250	441.7	204.2	231.5	9,216.0	609.6	243.8	289.6	11,816.0
55	PT1250KCQP	CUMMINS	KTA50G3	1000 / 1250	1100 / 1375	498.0	203.0	229.2	10,016.0	900.0	243.8	289.6	14,000.0
56	PT1500KCQP	CUMMINS	KTA50GS8	1200 / 1500	1320 / 1650	520.7	213.0	254.5	10,020.0	900.0	243.8	289.6	16,000.0
57	PT1675KCQP	CUMMINS	KTA50G15A	1340 / 1675	1474 / 1842.5	520.7	213.0	254.5	15,000.0	1,200.0	243.8	289.6	20,000.0
58	PT1800Q	CUMMINS	QSK60G3	1440 / 1800	1584 / 1980	570.5	222.4	267.5	18,000.0	1,415.0	320.0	512.0	512.0
59	PT1875KCQP	CUMMINS	KTA50G16A	1500 / 1875	1650 / 2062.5	550.0	213.0	254.5	16,000.0	1,200.0	243.8	289.6	21,000.0
60	PT2000QCQP	CUMMINS	QSK50G23	1600 / 2000	1760 / 2200	560.0	213.0	254.5	16,000.0	1,200.0	243.8	289.6	22,000.0
61	PT2000Q	CUMMINS	QSK60G4	1600 / 2000	1760 / 2200	579.1	222.4	272.5	18,000.0	1,415.0	320.0	512.0	28,000.0
62	PT2500QCQP	CUMMINS	QSK60G23	2000 / 2500	2200 / 2750	579.1	222.4	272.5	20,000.0	1,415.0	320.0	512.0	30,000.0

** This engine data sheet indicates standby rating only, the engine is also suitable for prime-power applications, and many units have been successfully used for prime applications.
Governor Type:
1 - with mechanical governor
2 - with electronic governor

HSP POWER SYSTEMS SDN. BHD. https://www.hspower.com.my marketing@hspower.com.my

LET'S POWER YOUR NEXT PROJECT

Whether you need a generator set, data centre backup power solution, temporary power, load bank testing, marine engine support, replacement parts, filtration products, or service support, HSP Power Systems is ready to support your project.



CONTACT US:

HSP POWER SYSTEMS

HSP POWER SYSTEMS SDN. BHD. https://www.hspower.com.my marketing@hspower.com.my



HSP HQ (PLANT A)

PMT 1287, Jalan Kilang Tebu,
Sungai Lokan,
13800 Butterworth, Penang, Malaysia.

Tel: +604 356 2623
Fax: +604 356 2829



HSP (PLANT B)

Lot 2963, MK 16, Kawasan
Perindustrian Acku, Bagan Lallang,
13400 Butterworth, Penang, Malaysia.

Tel: +6017 474 3668
Fax: +604 332 5009



HSP (PLANT C)

No 11A, Jalan Perusahaan 2,
Kawasan Industri Batu Caves,
68100 Batu Caves, Selangor

Tel: +603 6185 2668
Fax: +603 6185 1168



HSP (PLANT D)

No 15, Jalan Selatan Utama,
Taman Perindustrian Ringan Pulai,
81300 Skudai, Johor Bahru, Malaysia

Tel: +6017 474 3668
Fax: 607 562 6878



HSP (PLANT E)

No 3, Lot 3, Lorong RBF 5-1 KKIP Timur,
Kota Kinabalu Industrial Park,
88460 Kota Kinabalu, Sabah, Malaysia.

Tel: +6017 474 3668
Fax: +6088 491 198